

04/25/2022

To: CITY LUBE 26 SCOTT 4019 FRANKFORD RD DALLAS TX 75287 US

Attention: Safety Data Sheet (SDS) COORDINATOR

Valvoline provides its customers with a Safety Data Sheet (SDS) the first time a product is purchased or sampled for testing. SDS are distributed on an annual basis to comply with specific regulatory requirements even if there has been no revision. If the SDS is significantly changed, a copy of the revised sheet is sent to customers who purchased the product in the previous twelve months.

The Safety Data Sheet is addressed to the attention of the SDS COORDINATOR and is sent according to the contact information that Valvoline has on file for your organization. You should direct the Safety Data Sheet to those responsible for managing or designing operations involving the use of the product and those who use or handle the product and may potentially be exposed to it.

Valvoline is committed to providing accurate health and safety information on the products that we manufacture or distribute.

Our preference is to deliver these documents electronically. If you are not currently receiving Valvoline SDSs by e-mail, please provide us with the correct e-mail address for receipt. You can notify us via the phone number below or at sds@valvoline.com.

If you have any further questions or concerns, please feel free to contact us.

Valvoline: 1-800-825-8654 www.valvoline.com

Ship To: 0000691998

Valvoline.	Page: 1
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

29 CFR 1910.1200 (OSHA HazCom 2012)
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name

Valvoline™ Full Synthetic SAE 0W-16

Motor Oil

™ Trademark, Valvoline or its subsidiaries, registered in

various countries

Details of the supplier of the safety data sheet
Valvoline LLC
100 Valvoline Way
Lexington, KY 40509
United States of America (USA)
1-800-TEAMVAL (1-800-832-6825)

Emergency telephone number
1-800-VALVOLINE (1-800-825-8654)

Regulatory Information Number
1-800-TEAMVAL (1-800-832-6825)

Product Information
1-800-TEAMVAL (1-800-832-6825)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	Asp. Tox. 1; H304	>=60.00 - < 70.00
Mineral Oil		Asp. Tox. 1; H304	>=5.00 - < 10.00
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	Not a hazardous substance or mixture.	>=1.00 - < 1.50

Valvoline	Page: 2
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

SECTION 4. FIRST AID MEASURES

General advice

: No hazards which require special first aid measures.

If inhaled

: If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact

: First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact

: Remove contact lenses.

Protect unharmed eye.

If swallowed

: Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: No symptoms known or expected.

Notes to physician

: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Hydrocarbons

Nitrogen oxides (NOx)

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Valvoline.	Page: 3
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil ™ Trademark, Valvoline or its subsidiaries, registered in various countries 886758	Version: 1.1

Further information : Standard procedure for chemical fires.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
Distillates (Petroleum),	64742-54-7	TWA	5 mg/m3	OSHA Z-1
Hydrotreated Heavy Paraffinic			Mist	
		TWA	5 mg/m3	ACGIH
			Inhalable fraction	
		TWA	5 mg/m3	OSHA P0
			Mist	
		TWA	5 mg/m3	NIOSH REL
		30 200 TAX	Mist	WE COMPTENDED TO WASHINGTON
		ST	10 mg/m3	NIOSH REL
			Mist	

Valvoline	Page: 4
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

		PEL	5 mg/m3 particulate	CAL PEL
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA	5 mg/m3 Mist	OSHA Z-1
		TWA	5 mg/m3 Inhalable fraction	ACGIH
		TWA	5 mg/m3 Mist	OSHA P0
		TWA	5 mg/m3 Mist	NIOSH REL
		ST	10 mg/m3 Mist	NIOSH REL
		PEL	5 mg/m3 particulate	CAL PEL

Engineering measures : General room ventilation should be adequate for normal

conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear as appropriate:

Safety shoes

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Odour : No data available

Odour Threshold : No data available

pH : No data available

Valvoline.	Page: 5
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

Melting point/freezing point

: No data available

Boiling point/boiling range

: No data available

Flash point

: > 390 °F / > 199 °C

Method: Cleveland open cup

Evaporation rate

: No data available

Flammability (solid, gas)

: No data available

Upper explosion limit

: No data available

Lower explosion limit

: No data available

Vapour pressure

: No data available

Relative vapour density

: No data available

Relative density

: No data available

Density

: 0.843 g/cm3

Solubility(ies)

Water solubility

: No data available

Solubility in other solvents

: No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition

: No data available

Viscosity

Viscosity, dynamic

: No data available

Viscosity, kinematic

: 34.8 mm2/s (40 °C)

Oxidizing properties

: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No decomposition if stored and applied as directed.

Chemical stability

: Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Valvoline.	Page: 6
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

Conditions to avoid

: None known.

Incompatible materials

: Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Skin contact

Eye Contact

Ingestion

Acute toxicity

Not classified based on available information.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Acute oral toxicity

: LD50 (Rat): > 15 g/kg

Acute dermal toxicity

: LD50 (Rabbit): > 5 g/kg

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Acute oral toxicity

: LD50 (Rat): > 15 g/kg

Acute dermal toxicity

: LD50 (Rabbit): > 5 g/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Assessment

: Slight, transient irritation

Result

Slight, transient irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment

Slight, transient irritation

Result

Slight, transient irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks

Unlikely to cause eye irritation or injury.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Result

: No eye irritation

Assessment

: No eye irritation

Valvoline.	Page: 7
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil ™ Trademark, Valvoline or its subsidiaries, registered in various countries 886758	Version: 1.1

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Result

: No eye irritation

Assessment

: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity -

: Classified based on DMSO extract content < 3% (Regulation

Assessment

(EC) 1272/2008, Annex VI, Part 3, Note L)

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

May be fatal if swallowed and enters airways.

Mineral Oil:

May be fatal if swallowed and enters airways.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

Valvoline.	Page: 8
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Toxicity to fish

: LL50 (Fish): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Aquatic invertebrates): > 10,000 mg/l

Exposure time: 48 h

Toxicity to algae

: EL50 (Algae, algal mat (Algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

: NOEC (Fish): 10 mg/l

Toxicity to daphnia and other

aquatic invertebrates

(Chronic toxicity)

: NOEC (Aquatic invertebrates): 10 mg/l

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Toxicity to fish

: LL50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EL50 (Aquatic invertebrates): > 10,000 mg/l

aquatic invertebrates

Exposure time: 48 h

Toxicity to algae

: EL50 (Algae, algal mat (Algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

: NOEC (Fish): 10 mg/l

Valvoline.	Page: 9
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil ™ Trademark, Valvoline or its subsidiaries, registered in various countries 886758	Version: 1.1

Toxicity to daphnia and other : NOEC (Aquatic invertebrates): 10 mg/l

aquatic invertebrates (Chronic toxicity)

Ecotoxicology Assessment

Short-term (acute) aquatic

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

hazard

: Not classified based on available information.

Persistence and degradability

Components:

No data available

Bioaccumulative potential

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Partition coefficient: n-

: log Pow: Expected > 7

octanol/water

No data available Mobility in soil Components: No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: No data available

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice

: Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging

: Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

Valvoline.	Page: 10
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	HAZARDS	GROUP	MARINE POLLUTANT / LTD. QTY.
MX_DG					
	Not dangerous goods				
INTERNATIONA	L AIR TRANSPORT ASSOCIATI	ION - PASSEN	IGER		
	Not dangerous goods				
INTERNATIONAL	L AIR TRANSPORT ASSOCIATI	ION - CARGO			
	Not dangerous goods				
INTERNATIONAL	L MARITIME DANGEROUS GO	ODS			
	Not dangerous goods				
TDG_INWT_C	Ar.				
	Not dangerous goods				
TDG_RAIL_C					
	Not dangerous goods				
TDC DOAD C					1
TDG_ROAD_C	Not dangerous goods				
U.S. DOT - INLA	ND WATERWAYS				
	Not dangerous goods				
CFR_RAIL_C					
	Not dangerous goods				
U.S. DOT - ROAI					
	Not dangerous goods				

no

Marine pollutant

Valvoline.	Page: 11
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
886758	

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
TOLUENE	108-88-3	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: No SARA Hazards

California Prop. 65

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for carcinogenicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : On TSCA Inventory

TSCA list


The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Mineral Oil Not Assigned

Valvoline.	Page: 12
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil	Version: 1.1
™ Trademark, Valvoline or its subsidiaries, registered in various countries 886758	

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 09/06/2018



NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements

H304

May be fatal if swallowed and enters airways.

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI: Biological Exposure Index

Valvoline.	Page: 13
SAFETY DATA SHEET	Revision Date: 09/06/2018
	Print Date: 4/24/2022
	SDS Number: 000000269652
Valvoline™ Full Synthetic SAE 0W-16 Motor Oil ™ Trademark, Valvoline or its subsidiaries, registered in various countries 886758	Version: 1.1

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV : Threshold Limit Value TWA : Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System